

Accessibility Conformance Report

(Based on VPAT® Version 2.4)

Recovery Manager for Exchange

5.8.6

Contact Information:

Please contact http://support.quest.com with any questions about the accessibility of this product, or to notify us if an accessibility gap is limiting or would preclude your use of a product. This information will be communicated to the product's R&D team and will raise visibility of the issue.

Applicable Standards/Guidelines

This report covers the degree of conformance for the following accessibility standard/guidelines:

Standard/Guideline

Web Content Accessibility Guidelines 2.0
Web Content Accessibility Guidelines 2.1

Included In Report Level A, Level AA Level A, Level AA

Terms

The terms used in the Conformance Level information are defined as follows:

- **Supports**: The functionality of the product has at least one method that meets the criterion without known defects or meets with equivalent facilitation.
- Partially Supports: Some functionality of the product does not meet the criterion.
- **Does Not Support**: The majority of product functionality does not meet the criterion.
- **Not Applicable**: The criterion is not relevant to the product.

Report Date: February 6, 2024

Success Criteria, Level A

Criteria, Level A	Conformance Level	Remarks and Explanations
1.1.1 Non-text Content All non-text content that is presented to the user has a text alternative that serves the equivalent purpose, except in some limited situations (see link).	Partially Supports	Recovery Manager for Exchange contains graphical elements that are fully described by the accompanying text.
1.2.1 Audio-only and Video-only (Prerecorded) Except when the audio or video is a media alternative for text and is clearly labeled as such, for prerecorded audio-only media an alternative for time-based media is provided that presents equivalent information. For prerecorded video-only media, either an alternative for time-based media or an audio track is provided that presents equivalent information.	Not Applicable	Recovery Manager for Exchange does not include audio or video content.
1.2.2 Captions (Prerecorded) Captions are provided for all prerecorded audio content in synchronized media, except when the media is a media alternative for text and is clearly labeled as such.	Not Applicable	Recovery Manager for Exchange does not include audio or video content.
1.2.3 Audio Description or Media Alternative (Prerecorded) An alternative for time-based media or audio description of the prerecorded video content is provided for synchronized media, except when the media is a media alternative for text and is clearly labeled as such.	Not Applicable	Recovery Manager for Exchange does not include audio or video content.
1.3.1 Info and Relationships Information, structure, and relationships conveyed through presentation can be programmatically determined or are available in text.	Partially Supports	Recovery Manager for Exchange uses semantically correct markup so that information, structure, and relationships can be understood independent of presentation. The product is not fully tested according to this requirement.
1.3.2 Meaningful Sequence When the sequence in which content is presented affects its meaning, a correct reading sequence can be programmatically determined.	Partially Supports	Recovery Manager for Exchange generates semantically-correct markup to allow assistive



Criteria, Level A	Conformance Level	Remarks and Explanations	
		technologies to interpret the meaning of content and controls. The product is not fully tested according to this requirement	
1.3.3 Sensory Characteristics Instructions provided for understanding and operating content do not rely solely on sensory characteristics of components such as shape, size, visual location, orientation, or sound.	Partially Supports	Recovery Manager for Exchange does not depend solely on sensory characteristics such as shape, size, visual location, orientation, or sound to understand the content	
1.4.1 Use of Color Color is not used as the only visual means of conveying information, indicating an action, prompting a response, or distinguishing a visual element.	Supports	Color is only used as a decorative or supplemental attribute of user interface elements. Textual representation is always used as the primary mechanism for conveying information.	
1.4.2 Audio Control If any audio on a Web page plays automatically for more than 3 seconds, either a mechanism is available to pause or stop the audio, or a mechanism is available to control audio volume independently from the overall system volume level.	Not Applicable	Recovery Manager for Exchange does not include audio or video content.	
2.1.1 Keyboard All functionality of the content is operable through a keyboard interface without requiring specific timings for individual keystrokes, except where the underlying function requires input that depends on the path of the user's movement and not just the endpoints.	Supports	Recovery Manager for Exchange supports standard keyboard navigation and input functions, such as pressing [Tab] to move between input fields, navigation by pressing the arrow keys to move between list items, and pressing [Space] or [Enter] to make selections.	
2.1.2 No Keyboard Trap If keyboard focus can be moved to a component of the page using a keyboard interface, then focus can be moved away from that component using only a keyboard interface, and, if it requires more than unmodified arrow or tab keys or other standard exit methods, the user is advised of the method for moving focus away.	Supports	Recovery Manager for Exchange supports standard keyboard navigation and ensures that keyboard users cannot be trapped in a subset of content	

Criteria, Level A	Conformance Level	Remarks and Explanations
2.1.4 Character Key Shortcuts If a keyboard shortcut is implemented in content using only letter (including upper- and lower-case letters), punctuation, number, or symbol characters, then either the keyboard shortcut is only active when that component has focus or a mechanism is available to turn the shortcut off or to remap the shortcut to use one or more non-printable keyboard characters (e.g. Ctrl, Alt, etc).	Not Applicable	Recovery Manager for Excahnge doesn't include key Shortcuts.
2.2.1 Timing Adjustable For each time limit that is set by the content, the user is able to turn off, adjust, or extend the time limit, except with some specific exceptions (see link).	Does Not Support	Users cannot adjust or extend a session limit by any action
2.2.2 Pause, Stop, Hide For any moving, blinking or scrolling information that (1) starts automatically, (2) lasts more than five seconds, and (3) is presented in parallel with other content and for any auto-updating information that (1) starts automatically and (2) is presented in parallel with other content, there is a mechanism for the user to pause, stop, or hide it or to control the frequency of the update unless it is part of an activity where it is essential (see link).	Partially Supports	Recovery Manager for Exchange does not include moving, blinking, scrolling. But the content in product lists and tables is updated periodically by software when a User requested operation on it. The information update can be stopped if the User stops the updating operation
2.3.1 Three Flashes or Below Threshold Web pages do not contain anything that flashes more than three times in any one second period, or the flash is below the general flash and red flash thresholds.	Not Applicable	Recovery Manager for Exchange does not use flashing interface elements.
2.4.1 Bypass Blocks A mechanism is available to bypass blocks of content that are repeated on multiple Web pages.	Not Applicable	Recovery Manager for Exchange does not have a structural markup to skip repeatable blocks.

Supports

Partially Supports



Recovery Manager for Exchange has descriptive titles that indicate a name of a product but do not

indicate a topic of a page.

purpose.

2.4.3 Focus Order

2.4.2 Page Titled
Web pages have titles that describe topic or

Criteria, Level A

If a Web page can be navigated sequentially and the navigation sequences affect meaning or operation, focusable components receive focus in an order that preserves meaning and operability.

Conformance Level

Remarks and Explanations

Recovery Manager for Exchange uses a logical tab order through interactive elements such as links and form controls. Recovery Manager for Exchange also uses semantically correct markup, ensuring that the markup matches the visual presentation of content on the page. The product is not fully tested according to this requirement.

2.4.4 Link Purpose (In Context)

The purpose of each link can be determined from the link text alone or from the link text together with its programmatically determined link context, except where the purpose of the link would be ambiguous to users in general.

Supports

Recovery Manager for Exchange uses descriptive text to identify the purpose of links.

2.5.1 Pointer Gestures (2.1 only)

All functionality that uses multipoint or pathbased gestures for operation can be operated with a single pointer without a path-based gesture, unless a multipoint or path-based gesture is essential.

Not Applicable

Recovery Manager for Exchange does not support a pointing device

2.5.2 Pointer Cancellation (2.1 only)

For functionality that can be operated using a single pointer, at least one of the following is true: the down-event of the pointer is not used to execute any part of the function; completion of the function is on the up-event, and a mechanism is available to abort the function before completion or to undo the function after completion; the up-event reverses any outcome of the preceding down-event; or completing the function on the down-event is essential (see link).

Not Applicable

Recovery Manager for Exchange does not support a pointing device

2.5.3 Label in Name (2.1 only)

For user interface components with labels that include text or images of text, the name contains the text that is presented visually.

Supports

2.5.4 Motion Actuation (2.1 only)

Functionality that can be operated by device motion or user motion can also be operated by user interface components and responding to

Does Not Support

Recovery Manager for Exchange does not support device or user motion.



Criteria, Level A

Conformance Level Remarks and Explanations

the motion can be disabled to prevent accidental actuation, except when the motion is used to operate functionality through an accessibility supported interface or the motion is essential for the function and doing so would invalidate the activity (see link).

3.1.1 Language of Page

The default human language of each Web page can be programmatically determined. Supports

English Only

3.2.1 On Focus

When any component receives focus, it does not initiate a change of context.

Supports

When a component in a Recovery Manager for Exchange user interface receives focus, it does not initiate a change of context.

3.2.2 On Input

Changing the setting of any user interface component does not automatically cause a change of context unless the user has been advised of the behavior before using the component.

Supports

Changing the setting of a component in a Recovery Manager for Exchange user interface does not initiate a change of context.

3.3.1 Error Identification

If an input error is automatically detected, the item that is in error is identified and the error is described to the user in text.

Partially Supports

Recovery Manager for Exchange automatically detects errors in most of the inputs.

3.3.2 Labels or Instructions

Labels or instructions are provided when content requires user input.

Partially Supports

Recovery Manager for Exchange provides labels or instructions for user inputs.

4.1.1 Parsing

In content implemented using markup languages, elements have complete start and end tags, elements are nested according to their specifications, elements do not contain duplicate attributes, and any IDs are unique, except where the specifications allow these features.

Not Applicable

Recovery Manager for Exchange does not use semantically-correct markup for all interface elements.

4.1.2 Name, Role, Value

For all user interface components (including but not limited to: form elements, links and components generated by scripts), the name and role can be programmatically

Partially Supports

Recovery Manager for Exchange uses standard UI controls.

determined; states, properties, and values that can be set by the user can be programmatically set; and notification of changes to these items is available to user agents, including assistive technologies.

Success Criteria, Level AA

Criteria, Level AA	Conformance Level	Remarks and Explanations
1.2.4 Captions (Live) Captions are provided for all live audio content in synchronized media.	Not Applicable	Recovery Manager for Exchange does not use synchronized media.
1.2.5 Audio Description (Prerecorded) Audio description is provided for all prerecorded video content in synchronized media.	Not Applicable	Recovery Manager for Exchange does not use synchronized media.
1.3.4 Orientation (2.1 only) Content does not restrict its view and operation to a single display orientation, such as portrait or landscape unless a specific display orientation is essential.	Supports	
1.3.5 Identify Input Purpose (2.1 only) The purpose of each input field collecting information about the user can be programmatically determined when the input field serves a purpose identified in the Input Purposes for User Interface Components section; and the content is implemented using technologies with support for identifying the expected meaning for form input data.	Supports	
1.4.3 Contrast (Minimum) The visual presentation of text and images of text has a contrast ratio of at least 4.5:1, except in some limited situations (see link).	Supports	The visual presentation of text in the Recovery Manager for Exchange provides sufficient contrast.
1.4.4 Resize text Except for captions and images of text, text can be resized without assistive technology up to 200 percent without loss of content or functionality.	Partially Supports	The Recovery Manager for Exchange web interface supports standard zoom capabilities built into modern web browsers and operating systems.



Criteria, Level AA

Conformance Level

Remarks and Explanations

1.4.5 Images of Text

If the technologies being used can achieve the visual presentation, text is used to convey information rather than images of text except when the image of text can be visually customized to the user's requirements or a particular presentation of text is essential to the information being conveyed.

Not Applicable

Recovery Manager for Exchange does not use images of text.

1.4.10 Reflow (2.1 only)

Content can be presented without loss of information or functionality, and without requiring scrolling in two dimensions for vertical scrolling content at a width equivalent to 320px or Horizontal scrolling content at a height equivalent to 256px. Except for parts of the content which require two-dimensional layout for usage or meaning.

Supports

1.4.11 Non-text Contrast (2.1 only)

The visual presentation of user interface components and graphical objects has a contrast ratio of at least 3:1 against adjacent colors (see link).

Does Not Support

1.4.12 Text Spacing (2.1 only)

In content implemented using markup languages that support the following text style properties, no loss of content or functionality occurs by setting all of the following and by changing no other style property:

- Line height (line spacing) to at least 1.5 times the font size;
- Spacing following paragraphs to at least 2 times the font size:
- Letter spacing (tracking) to at least 0.12 times the font size;
- Word spacing to at least 0.16 times the font size.

Supports

1.4.13 Content on Hover or Focus (2.1 only) Does Not Support

Where receiving and then removing pointer hover or keyboard focus triggers additional content to become visible/hidden, a mechanism is available to dismiss the additional content without moving pointer hover or keyboard focus; if pointer hover can trigger the additional content, then the pointer can be moved over the additional content without the additional content disappearing; and the additional content remains visible until the hover or focus trigger is removed, the user dismisses it, or its information is no longer valid (see link).



-		
Criteria,	l evel	ΔΔ
Officia,	LCVCI	/ V \

Conformance Level

Remarks and Explanations

2.4.5 Multiple Ways

More than one way is available to locate a Web page within a set of Web pages except where the Web Page is the result of, or a step in, a process.

Not Applicable

Recovery Manager for Exchange

does not use this function.

2.4.6 Headings and Labels

Headings and labels describe topic or purpose.

Partially Supports Recovery Manager for Exchange

uses semantically-correct markup for all interface elements, including headings and labels. Heading and label text in Recovery Manager for Exchange describe topic or purpose.

2.4.7 Focus Visible

Any keyboard operable user interface has a mode of operation where the keyboard focus indicator is visible. **Supports**

Recovery Manager for Exchange uses visual changes to elements to indicate the current position of focus.

3.1.2 Language of Parts

The human language of each passage or phrase in the content can be programmatically determined except for proper names, technical terms, words of indeterminate language, and words or phrases that have become part of the vernacular of the immediately surrounding text.

Does Not Support Recovery Manager for Exchange

does not use images of text.

3.2.3 Consistent Navigation

Navigational mechanisms that are repeated on multiple Web pages within a set of Web pages occur in the same relative order each time they are repeated, unless a change is initiated by the user.

Partially Supports Recovery Manager for Exchange

uses the same navigation mechanisms across pages. The product is not fully tested according to this requirement

3.2.4 Consistent Identification

Components that have the same functionality within a set of Web pages are identified consistently.

Partially Supports The Recovery Manager for

Exchange user interface is built on a framework that provides a standard component library for consistent functionality and presentation across pages The product is not fully tested according

to this requirement

3.3.3 Error Suggestion

If an input error is automatically detected and suggestions for correction are known, then the

Partially Supports Recovery Manager for Exchange provides suggestions for correcting errors such as identifying required fields or guidance to fix some



Criteria, Level AA

Conformance Level

Remarks and Explanations

suggestions are provided to the user, unless it would jeopardize the security or purpose of the content.

issues. The product is not fully tested according to this requirement

3.3.4 Error Prevention (Legal, Financial, Data)

For Web pages that cause legal commitments or financial transactions for the user to occur, that modify or delete user-controllable data in data storage systems, or that submit user test responses, either submissions are reversible; data entered by the user is checked for input errors and the user is provided an opportunity to correct them; or a mechanism is available for reviewing, confirming, and correcting information before finalizing the submission (see link).

Not Applicable

The Recovery Manager for Exchange does not have a mechanism for reviewing and correcting information before submission, and confirmations before irreversible delete operations.

4.1.3 Status Messages (2.1 only)

In content implemented using markup languages, status messages can be programmatically determined through role or properties such that they can be presented to the user by assistive technologies without receiving focus.

Supports



Evaluation Methods Used:

The evaluation methods is done by NVDA tool.

© 2021 Quest Software Inc. ALL RIGHTS RESERVED.

Quest, Quest Software, the Quest logo, and One Identity are trademarks and registered trademarks of Quest Software Inc. and its affiliates. All other trademarks are property of their respective owners.

